

# Index

## A

- Abrikosov lattice, *see* vortex lattice
- angular momentum
  - for Bose–Einstein condensate (BEC), 187, 300, 336–338
  - for the vortex-particle model, 190, 201, 208, 211, 212, 214
- anomalous mode
  - dark soliton, 39, 41, 57, 59, 140
  - DB soliton, 77, 87, 151, 155
  - NPSE model, 56
  - ring soliton, 182
  - vortex, 166, 176, 230, 261
- antidark soliton, 67, 92, 94, 114
- aspect ratio, 12, 17, 50, 63
- azimuthon, 162

## B

- Bardeen–Cooper–Schrieffer (BEC-BCS)
  - crossover, 123
- Biot–Savart, law, 343, 348, 351
- Bloch oscillations, 346
- Bloch waves, 44
- Bogoliubov spectrum, *see* Bogoliubov–de Gennes (BdG), spectrum
- Bogoliubov–de Gennes (BdG)
  - analysis, 38, 39, 41, 46, 57, 58, 62, 76, 86, 97, 101, 140, 143
  - equations, 11, 32, 39, 54, 97, 103, 130, 166, 182, 207, 252, 270, 278, 309, 314
  - spectrum, 11, 39, 41, 54, 57, 77, 87, 151, 167, 173, 182, 185, 230, 233, 238, 261, 316, 330
- Bose–Einstein condensation, *see* mean-field, for BEC
- Bose–Hubbard model, 47
- bubble, 346, 360, 363

## C

- cigar-shaped BEC, 12, 49, 54
- circulation, *see* vortex circulation
- collapse, 123, 159, 161, 162, 247, 266, 346
- collective modes, *see* Tkachenko modes
- compact scheme, 371

- complex Ginzburg–Landau, 329
- compute unified device architecture (CUDA), 376
- conserved quantities
  - for the vortex-particle model, 189
- continuation
  - from the linear limit, 31, 158, 159, 244, 251
  - parameter continuation, 121, 257, 280
  - pseudo-arclength continuation, 158
- continuous spectrum, 48, 77, 86
- counterflow, 68, 72, 78
- crow instability, 341, 346
- cubic-quintic NLS (cqNLS) equation, 14
- cubic-quintic nonlinearity, 56

## D

- dark soliton, 2, 18, 55, 65, 359
  - adiabatic dynamics, 34
    - anomalous mode, *see* anomalous mode, dark soliton
  - antidamping, 44, 49, 130, 137, 143
  - black, 19, 37, 38, 58, 64
  - collision-induced phase shift, 27
  - collisions, 28, 359
  - cross, 180, 182, 224, 319, 321
  - dissipative dynamics, 136
  - energy, 21, 34
  - formation, 112
  - generation, 20, 24
  - gray, 19, 37, 54
  - Hamiltonian perturbation theory, 34
  - integrals of motion, 21
  - Lagrangian approach, 36
  - Landau dynamics, 37
  - mass, 22
  - oscillation frequency, 35, 37, 55, 61, 63
  - oscillations, 32, 41
  - persistence, 48
  - perturbation methods, 2, 181
  - phase jump, 18
  - planar, *see* dark soliton, stripe
  - radiation, 42
  - repulsive interaction, 29, 58, 63, 143

- ring, 51, 161, 180, 182, 187, 204, 207, 223, 331
  - ring, curvature, 52
  - shallow, 19, 22, 25, 37, 38, 43, 55, 137
  - spherical, 51
  - stationary, 31
  - stripe, 50, 173, 175, 176, 179, 182, 187, 203, 236, 267, 275, 283, 309, 312, 323, 360
  - two-soliton, 27, 57, 59, 60
  - dark-bright (DB) soliton, 26, 67, 76–78
    - adiabatic dynamics, 73, 150
    - anomalous mode, *see* anomalous mode, DB soliton
    - antidamping, 151
    - collisions, 81
    - dissipative dynamics, 149
    - energy, 74
    - excitation spectrum, 76
    - Hamiltonian perturbation theory, 74
    - interaction energy, 83
    - interaction force, 84
    - interactions, 83, 85
    - molecule, 83, 87, 89
    - multiple, 73, 81, 86, 88
    - oscillation frequency, 76, 79, 151
    - ring, 305
    - solution, 69
    - spinor BEC, 104
    - stationary, 77, 85, 151
    - two-soliton, 83, 85, 87, 92, 155
  - dark-dark (DD) soliton, 67, 88
    - beating, 68, 71, 90, 92
    - interactions, 92
    - solution, 70
    - spinor BEC, 104
  - density engineering, 24, 25, 346
  - dimensionality crossover, 12, 42, 55, 62, 78
  - dimensionality parameter, 12, 54, 55, 62
  - dipole mode, 39, 57, 167, 230
  - discrete nonlinear Schrödinger (DNLS) equation, 45, 47, 239, 243
  - discrete spectrum, 20
  - disk-shaped BEC, 49
  - dissipation, 167, 169, 172, 173
  - dissipative GPE (DGPE), *see* Gross–Pitaevskii equation, dissipative
  - domain wall, 50, 67, 89, 102, 104, 318, 346, 359
  - domain wall cross, *see* dark soliton, cross
  - double well, 27, 63, 116
    - two-dimensional, 239
    - vortex-induced, 314
  - doubly charged vortex, 165, 179, 252, 256
  - doubly charged vortex ring, 352
  - dragging an obstacle, 24, 109, 110, 115
  - dromion, 50
- E**
- energetic instability, 40
  - energy, 17
    - two-component BEC, 74
  - energy cascade, 344
  - energy functional, 8
  - Euler’s fluid, 343
  - Euler–Lagrange equations, 18, 36, 58, 79
  - exciton-polariton BEC, *see* polariton BEC
  - external potential, 7, 10, 17, 32, 35, 36, 76, 109, 112, 115, 116, 134, 147, 148, 336, 338, 343, 347, 348, 352, 360, 363, 372, 376
    - anisotropic, 359
- F**
- Faraday pattern, 14
  - Feshbach resonance, 67, 123, 320
    - management, 53, 123, 266
  - finite differences, 371
  - finite temperature, 40, 130, 170, 191, 263, 302
    - BEC, 131
    - damping regimes, 137, 151
    - dark soliton, 138, 140
    - form of dissipation, 131
    - relaxation dynamics, 134, 148
    - three-dark soliton state, 144
    - two-dark-soliton state, 142
  - Floquet analysis, 91
  - fluid dynamics, 340, 341
  - fluid velocity, 70, 168, 231, 255, 274, 276, 342–344
  - fluid vorticity, 168, 255, 274, 276
- G**
- Galerkin approach, 117, 176, 177, 235, 237, 239
  - gap soliton, 45, 104
  - Gerbier–Muñoz Mateo–Delgado equation (GMDE), 13, 79
  - Goldstone mode, 39, 41, 57, 85, 230, 232
  - graphical processing unit (GPU), 370, 376
  - Gross–Pitaevskii equation, 2, 7, 8
    - damping, 132
    - dissipative, 131, 133, 135, 139, 145, 148, 169, 263
    - rigorous validation, 9
    - stochastic, 131, 138, 139, 147
  - ground state, 10, 13
- H**
- Hamiltonian
    - for BEC, 34, 74, 115, 141, 142
    - for spinor BEC, 302
    - for the vortex-particle model, 189, 193, 196, 201, 212
    - single-particle, 11, 176
  - harmonic trap, 4, 10, 12, 20, 25, 31, 35, 39, 43, 46, 53, 63, 76, 86, 111, 116, 137, 157, 166, 176, 188, 228, 244, 266, 273, 288, 295, 307, 311,

- 330, 352, 366  
 healing length, 12, 46, 54, 112, 131, 175, 272, 276, 297, 338, 343, 347  
 helical waves, *see* Kelvin modes  
 heteronuclear BEC, 66  
 high-order (compact) scheme, 371  
 Hopf bifurcation, 88, 101, 304  
 hydrodynamic formulation, 341, 343
- I**  
 impurity potential, 266, 275, 278, 344, 364  
 integrals of motion, 17, *see* dark soliton, integrals of motion  
 interaction potential, 8  
 inverse scattering transform (IST), 2, 20, 68, 104, 106
- K**  
 Kadomtsev–Petviashvili (KP) equation, 50  
 Kelvin modes, 338, 343, 348, 354, 355  
 Kelvons, *see* Kelvin modes  
 Kohn mode, *see* dipole mode  
 Kolmogorov power law, 298, 344  
 Korteweg–de Vries (KdV) equation, 2, 22, 23, 29, 38, 53, 104  
 Krein signature, 40, 41, 48, 140, 141, 144, 151, 166, 170, 182, 207, 230, 264  
 Kronig–Penney model, 124
- L**  
 Lagrangian  
   density, 18  
   two dark solitons, 58  
 Landau dynamics, 33  
 linear momentum  
   for the vortex-particle model, 190  
 linear Schrödinger equation, 245  
 local density approximation, 33, 35, 37, 38  
 localized induction approximation, 343
- M**  
 Madelung transformation, 15, 23, 341  
 magnetic trap, *see* harmonic trap  
 Manakov system, 68, 92, 104  
 many-body  
   calculation, 38  
   Hamiltonian, 7  
   quantum mechanical problem, 8  
 matter-wave interference, 24, 26, 51, 63  
 mean-field  
   for BEC, 7, 55, 66, 95, 130, 307  
 miscibility  
   BEC, 67, 313, 318  
   parameter, 67, 319, 320, 323  
 modulational instability (MI), 11, 12, 18, 99, 100, 124, 173, 268  
   transverse, 50, 267, 285  
 modulus-squared Dirichlet (MSD), boundary conditions, 373, 374  
 momentum, 17  
 multicomponent BEC, 66, 166, 250, 293, 301, 362, 363  
 multiply charged vortex, 352  
 multivortex line configuration, 339
- N**  
 NLS equation, *see* nonlinear Schrödinger (NLS) equation  
 noncondensed atoms, *see* thermal cloud  
 nonlinear interference, 344  
 nonlinear Schrödinger (NLS) equation, 2, 4, 13, 15, 17, 19, 27, 32, 47, 68, 98, 104, 109, 116, 125, 241, 335, 346, 347, 363, 370–372, 374, 376, 377  
   cubic-quintic, *see* cubic-quintic NLS (cqNLS) equation  
   discrete, *see* discrete nonlinear Schrödinger (DNLS) equation  
   perturbed, *see* perturbed NLS equation  
 nonpolynomial Schrödinger equation (NPSE), 13, 55, 61, 62, 79  
 normal modes of vibration, *see* Tkachenko modes  
 Nozaki–Bekki hole, 330  
 number of atoms, 8  
 number of particles, 17
- O**  
 optical lattice, 43, 44, 63, 116  
   nonlinear, 260  
   superlattice, 45, 47  
   two-dimensional, 243  
 optical trap, 346
- P**  
 Peierls–Nabarro, 47  
 perturbed NLS equation, 22, 34, 36, 74, 135, 136  
 phase engineering, 346, 359  
 phase imprinting, 24  
 phase separation, 67  
 phase-imprinting, 24, 51, 68  
 pitchfork bifurcation, 121, 177, 202, 212, 214, 238, 243, 317  
 polariton BEC, 329  
 pseudospinor BEC, 66
- Q**  
 quadrupole mode, 39, 57  
 quantum pressure, 342, 344, 351  
 quantum turbulence, 295, 343, 344  
 quantum-state engineering, 24, 26  
 quasimomentum, 44  
 quintic NLS equation, 38
- R**  
 rarefaction pulse, 341, 346, 354, 356  
 reductive perturbation method, 22

ring soliton, *see* dark soliton, ring

## S

scattering length, 8, 122

Schrödinger equation

linear, *see* linear Schrödinger equation

nonlinear, *see* nonlinear Schrödinger (NLS) equation

nonpolynomial, *see* nonpolynomial

Schrödinger equation (NPSE)

self-induced velocity of vortex ring, 343, 351

shock wave, 25, 112

Skyrmion, 364

small-amplitude approximation, 22, 33, 37, 50, 105

small-amplitude excitations, 11

snaking instability, 26, 48, 50, 161, 173, 268

soliton

antidark, *see* antidark soliton

dark, *see* dark soliton

dark-bright, *see* dark-bright (DB) soliton

dark-dark, *see* dark-dark (DD) soliton

gap, *see* gap soliton

symbiotic, *see* symbiotic soliton

vector, *see* vector soliton

vortex-bright, *see* vortex-bright soliton

solitonic vortex, 54, 238, 360, *see* vortex line

sound speed, 12, 19, 23, 109, 113, 115, 344, 363

sound waves, 12, 32, 42, 341, 344

spherical BEC, 50

spinor BEC, 66, 95, 362–364

antiferromagnetic, 96

DB soliton, 104

DB soliton oscillation frequency, 108

ferromagnetic, 96, 104

modulational instability, 97

single-mode approximation, 97, 104, 115

spin-polarized states, 97, 102

spontaneous symmetry breaking, 116, 121, 155, 239

stochastic GPE (SGPE), *see* Gross–Pitaevskii equation, stochastic

strongly interacting Bose gas, 15, 33, 38

SU(2) rotation, 68, 69, 92

SU(2) rotational symmetry, 326

superfluid

$^4\text{He}$ , 338, 343, 344, 346

turbulence, 285, 292

superfluid-to-Mott insulator, 47

superfluidity, 45, 47, 109, 199, 292, 293

binary BEC, 113

critical velocity, 110, 112–115

Landau criterion, 109, 110

symbiotic solitons, 69

symmetry-breaking bifurcation, *see* pitchfork bifurcation

## T

thermal cloud, 31, 40, 44, 130, 137, 147, 169, 191, 286, 302, 329

thermodynamic instability, 40, 167, 170

Thomas–Fermi

approximation, 34, 129, 159, 167, 275, 288, 309, 318, 320, 325

cloud, 20, 74, 91, 92, 102, 134, 148, 149, 170, 174, 231

limit, 11, 62, 67, 134, 166, 229

radius, 131, 132, 147, 174, 189, 198, 201, 207, 229, 273, 281

tight-binding approximation, 45

Tkachenko modes, 340

Tonks–Girardeau gas, 15, 38

transverse instability, 173, 266, 285

trap frequencies, 10

turbulence, decay of, 343

two-component BEC, 294, 301, 311, 312, 318, 340, 346, 362

two-mode approximation, 117

## V

variational approach, 20, 36, 83, 85

varicose wave, 339

vector soliton, 66, 67

viscosity, 343

vortex, 26, 165

aligned cluster, 179, 182, 219, 229, 235

aligned quadrupole, 178, 203, 233

antivortex, 51, 116

capture, 282

circulation, 343, 351

cluster, 179, 182, 187, 229, 233, 297, 310

core, 338, 339, 343, 347, 351

creation by interference, 287

dipole, 198, 230, 237, 293, 294, 348, 352–354

doubly charged, *see* doubly charged vortex

dragging, 280

filament, 340, 341, 343, 352

filament method, 343, 352

formation, 3, 109

formation by defect dragging, 293

generating function, 220

guiding center equilibria, 193

in nonlinear optical lattice, 260

in optical lattice, 251

interaction with localized impurity, 275

knot, 348

lattice, *see* vortex lattice

line, *see* vortex line

motion in anisotropic traps, 228

$N + 1$  configuration, 218

- necklace, 53, 162, 178, 181, 187, 286, 310
  - pair, 346, 347, 352, 359
  - polygon, 181, 205, 208
  - precession, 166, 187, 194, 201, 207, 219, 224, 228, 276, 281, 311
  - quadrupole, 203, 235, 237
  - quintupole, 178, 237
  - ring, *see* vortex ring
  - splitting instability, 260
  - square, 217
  - stability, 165
  - string, 237
  - tangle, 292, 295
  - Tkachenko modes, 228
  - triangle, 217
  - tripole, 178, 202, 232, 237
  - vortex lattice, 165, 218, 225, 228, 237, 329, 339
    - in exciton-polariton condensates, 331
  - vortex line, 178, 188, 201, 335, 339, 343, 359, 360
    - reconnection, 340, 341
    - S-shaped, 337
    - U-shaped, 337
  - vortex ring, 25, 26, 48, 344
    - generation, 344
    - leapfrogging, 348, 352, 363
    - mergers, 353
    - scattering, 353, 355, 358
    - splits, 353
  - vortex-bright soliton, 301
    - dipole, 312
  - vorticity, 336, 341, 343, 344
- W**
- Wannier functions, 45
  - wavenumber spectrum, 297
  - weakly interacting BEC, 8, 13, 38
- Y**
- Yajima–Oikawa (YO) system, 106
- Z**
- Zaremba–Nikuni–Griffin (ZNG) approach, 130