

Index

A

Ablowitz–Kaup–Newell–Segur (AKNS)
 approach, 338
 family, 132, 139, 342
 pair, 339, 340
 Ablowitz–Ladik model, 483, 506, 511
 Adiabatic invariant approach for NLS, 442
 Adiabatic perturbation method for NLS, 307
 Airy
 equation, 51
 function, 52
 AKNS, *see* Ablowitz–Kaup–Newell–Segur
 Anti-continuum limit, 472, 473
 for DNLS, 492
 d'Alembert operator, *see* d'Alembertian
 d'Alembert solution, 21, 28, 65
 d'Alembertian, 19, 195

B

Band (spectral), 225
 Bi-Hamiltonian for KdV, 301
 Bianchi's theorem, 130
 Bogomol'nyi bounds, 484, 486, 487
 Bond-centered, *see* Intersite-centered
 Bose–Einstein condensate (BEC), 250, 263, 269,
 362, 397, 417, 430, 438, 443
 Bound state, 141, 356, 357
 Boussinesq equation, 36, 39, 40, 50, 65, 68–70, 72,
 84, 87, 270, 272
 improved, 40, 234
 linearized, 271
 modified improved, 40
 Breaking time, 57
 Breather
 for NLS, 356, 357
 for sG, 192, 195, 198, 199, 229, 232, 242
 Bright soliton, 252, 258, 259
 Burgers equation, 32
 inviscid, 90, 521
 viscous, 90
 Bäcklund transform, 126
 for DsG, 489
 for KdV, 128
 for Laplace equation, 126

C

Carrier (wave), 23
 Cauchy's residue theorem, 208
 Cauchy–Riemann conditions, 127, 210
 Characteristics, method of, *see* Method of
 characteristics

Chemical potential, 269, 324, 368, 371, 397, 406,
 409, 414, 415, 430, 443, 453, 461
 cKdV, *see* Korteweg–de Vries (KdV) equation,
 cylindrical
 cKP, *see* Kadomtsev–Petviashvili (KP) equation,
 cylindrical
 Cnoidal wave, 82, 83, 103, 108, 141, 184, 193, 420
 Cole–Hopf transformation, 66, 94
 Collapse in NLS, 296, 298, 430
 Conformal invariance, 297
 Conservation laws
 energy (regularized) for NLS, 378
 energy for a few degrees of freedom system, 4
 energy for KdV, 66, 142
 energy for KG, 226
 energy for NLS, 306
 mass for DNLS, 492
 mass for KdV, 64, 165
 mass for NLS, 293, 306
 momentum for DNLS, 507
 momentum for exceptional discretizations, 482
 momentum for FPUT, 520
 momentum for KdV, 66
 momentum for KG, 212, 477
 momentum for NLS, 293, 306
 Continuity equation, 270
 Continuous spectrum, 202, 295, 296, 472, 494
 Continuum limit, 193
 Cylindrical KdV (cKdV) equation, *see*
 Korteweg–de Vries (KdV) equation,
 cylindrical
 Cylindrical KP (cKP) equation, *see*
 Kadomtsev–Petviashvili (KP) equation,
 cylindrical

D

Dark (gray) soliton, 258, 262, 263, 267, 305
 Davey–Stewartson system, 173
 Defocusing nonlinearity (NLS), 35, 251, 258
 Degenerate perturbation theory for NLS, 403
 Diffusion equation, 26
 Direct scattering problem, 142
 Discrete ϕ^4 equation, 471
 Discrete KG equation, 471
 Discrete Laplacian, 45, 236, 323, 494, 518
 Discrete NLS (DNLS) equation, 492
 Discrete NLS in 2D, 510
 Discrete NLS with saturable nonlinearity, 510

Discrete nonlinear Schrödinger (NLS) equation,
see Nonlinear Schrödinger equation,
 discrete

Discrete sG equation, 193, 235, 471

Discrete spectrum, *see* Point spectrum

Discrete vortex, 504

Discrete wave equation, 11

Dispersion

 dispersive equation, 19

Dispersion relation, 12, 18, 200, 232

Dispersive radiation, 53

Dissipation, 25

DNLS, *see* Nonlinear Schrödinger (NLS)
 equation, discrete

Duffing oscillator, 82, 195, 258, 260

Dynamical lattice, 11

E

Envelope (wave), 23, 34

Ermakov–Pinney (EP) equation, 256

Euler equation, 48, 65, 173, 270, 457, 467

Euler–Lagrange equation, 282, 291, 302

Evans function, 203

Exceptional discretizations, 482–484, 487

F

Faddeev condition, 140

Fermat’s principle, 290

Fermi–Pasta–Ulam–Tsingou (FPUT)

 model, 13, 45, 512, 517

 paradox, 14, 47

Finite differences, 235, 322, 331

Flaschka variables, 516

Focusing nonlinearity (NLS), 35, 251, 258

Fourier transform method, 21, 52

FPUT, *see* Fermi–Pasta–Ulam–Tsingou

Fredholm alternative theorem, 158

Frenkel–Kontorova model, 193

Functional derivative, 282, 289

G

Galilean boost for NLS, 263, 268, 303, 304, 319

Galilean invariance

 KdV, 108, 109, 140

 NLS, 303

Gap (spectral), 225

Gardner equation, 32

Gardner–Greene–Kruskal–Miura scheme, 140

Gel’fand–Levitan–Marchenko (GLM) equation,
 139, 147, 349, 351, 358

General (power) nonlinearity in NLS, *see*
 Nonlinear Schrödinger (NLS) equation,
 general (power) nonlinearity

Generalized eigenvector, 296

Generating function, 463

Gershgorin’s Theorem, 473

Ginzburg–Landau equation, 221

GLM, *see* Gel’fand–Levitan–Marchenko (GLM)
 equation

GP equation, *see* Gross–Pitaevskii equation

Granular crystals, 518

Gross–Pitaevskii (GP) equation, 27, 362, 363,
 397, 442

Group velocity, 18, 23, 200

Group velocity dispersion, 35, 252

H

Hamiltonian

 for ϕ^4 , 285

 for KG, 284

 for NLS, 291

Harmonic solution, 127, 169, 228

Healing length for NLS, 455

Hermite differential equation, 114, 464

Hermite–Gauss modes, 369, 399, 412

Hertzian contact force, 518

Heteroclinic, 88, 119, 195, 201, 205, 209

Hirota equation, 343

Hirota method, 515

Homoclinic, 80, 83, 84, 119, 201, 205, 258, 259,
 261, 265, 425, 433

Hopf equation, 30, 51, 90, 521

I

Imaginary time, 27

Instability, 25

Integrability, 64, 112, 124, 132, 135, 173, 217, 301,
 340, 342, 414, 415, 417–419, 483, 488,
 490, 491, 506, 508, 512, 515, 516

Intersite-centered discrete solution, 472

Intersite-centered kink, 245

Inverse scattering problem, 142

Inviscid Burgers equation, 30, 32

Isospectral flow, 145

J

Jacobi elliptic functions, 10, 82

Johnson’s equation, *see* Kadomtsev–Petviashvili
 (KP) equation, cylindrical

Jones–Roberts soliton, 438

Jost functions, 345

K

Kadomtsev–Petviashvili (KP) equation, 33, 68,
 75, 166, 172, 432, 437, 438, 440

 cylindrical (cKP), 173, 441

 KP-I equation, 33, 75, 76, 166, 169, 172, 438,
 441

 KP-II equation, 33, 75, 166, 169, 172, 177, 182,
 441

 linear, 33

 modified, 172

Kawahara equation, 32

KdV, *see* Korteweg–de Vries (KdV) equation

KdV–Burgers (KdVB), *see* Korteweg–de Vries
 (KdV) equation, KdV–Burgers

Kelvin waves, 449

Kerr nonlinearity, 38, 251

KG, *see* Klein–Gordon (KG) equation

Kink solution

 for ϕ^4 , 195

 for sG, 193, 195, 201, 203

Klein–Gordon (KG) equation, 38, 39, 193, 288

- ϕ^4 , 39, 195
 - linear, 38, 39, 193
 - modified, 38
 - sine-Gordon, 39, 193, 284, 344
 - Korteweg–de Vries (KdV) equation, 31, 47, 50, 70, 72, 77, 343
 - cylindrical (cKdV), 173, 279
 - extended, 32
 - fifth-order, 32
 - KdV–Burgers (KdVB), 1, 32, 90, 278
 - linear, 31
 - modified (mKdV), 32, 128, 140, 301, 343
 - KP, *see* Kadomtsev–Petviashvili (KP) equation
 - Krein signature, 403
- L**
- Lagrange–Charpit equations, 54
 - Lagrangian
 - for ϕ^4 , 285
 - for DNLS, 499
 - for GP equation, 372
 - for KG, 284
 - for NLS, 291
 - Lagrangian density, 288, 292
 - Laplace equation, 127, 210
 - Lax pair, 136
 - for Ablowitz–Ladik, 506
 - for AKNS, 339, 340
 - for DNLS, 506
 - for KdV, 136, 156
 - for KP, 174
 - for NLS, 339
 - for sG, 489
 - for Toda lattice, 516, 523
 - for transport equation, 136
 - Legendre transform, 283, 292, 512
 - Light-cone coordinates, 20, 47, 71, 210, 489
 - Line soliton (from KP), 175
 - Linear Schrödinger equation, 18, 35, 138, 250, 398
 - Lorentz invariance, 202, 209, 488
 - Lorentz transformation, 196, 230
 - Lump soliton (from KP), 76, 173, 175, 438
 - Lyapunov–Schmidt condition, 493
- M**
- Madelung transformation, 270, 431, 441, 457, 466
 - Manakov system, 413–415, 417, 419
 - Method of characteristics, 19, 54
 - Miura transformation, 128, 140
 - Modified KdV, *see* Korteweg–de Vries (KdV) equation, modified
 - Modulational instability, 200, 249, 252, 254, 264, 265, 431, 432, 437
- N**
- Necking instability, 429
 - Newton’s method, 27, 236, 324, 325, 334
 - NLS, *see* Nonlinear Schrödinger (NLS) equation
 - Noether’s theorem, 287, 292, 378
 - Non-polynomial Schrödinger equation, *see* Nonlinear Schrödinger (NLS) equation, non-polynomial
 - Nonlinear dispersion relation, 253
 - Nonlinear Schrödinger (NLS) equation, 35, 251, 362
 - 2D, 36
 - derivative, 252
 - elliptic, 36, 424
 - general (power) nonlinearity, 264, 296, 337
 - hyperbolic, 36, 424
 - non-polynomial, 366, 395
 - nonlocal nonlinearity, 265
 - saturable nonlinearity, 265, 278
 - Nonlocal (power) nonlinearity in NLS, *see* Nonlinear Schrödinger (NLS) equation, nonlocal nonlinearity
- P**
- Painlevé equation, 112
 - Peierls–Nabarro potential, 478
 - Phase shift
 - for KdV, 63, 78, 79, 85, 153
 - for KG, 217
 - for NLS, 314, 358
 - for Toda lattice, 515
 - Phase space, 5, 9, 86, 193, 195, 258
 - Phase velocity, 18, 23, 25, 26, 30
 - Phi-4 (ϕ^4), *see* Klein–Gordon (KG) equation, ϕ^4
 - Phonon, 225
 - Phonon band, 225
 - Phonon gap, 231
 - Point spectrum, 203, 204, 206, 295
 - Point-vortex model, 459, 461
 - Poisson brackets, 285, 508
 - generalized, 299
 - Poisson summation formula, 478
 - Power-law nonlinearity for DNLS, 499
 - Precession for NLS vortex, 456, 461, 465
 - Principle of least action, 280
 - Pöschl–Teller potential, 149, 202, 203, 296, 415
- Q**
- Quadrature, 4, 9, 65, 77, 79, 84, 209, 259, 261, 265, 302
 - Quantum harmonic oscillator (QHO), 365, 368, 398, 403
 - Quantum pressure, 271, 457
 - Quasi-linear PDE, 54
- R**
- Rankine–Hugoniot jump condition, 58, 59, 94
 - Reduction of order method, 162
 - Reductive perturbation method, 276
 - Reflectionless potentials, 149
 - Refractive index, 251
 - Regularized short-pulse equation (RSPE), 234
 - Riemann equation, 30
 - Riemann problem, 61
 - Riemann–Hilbert problem (RHP), 139, 358
 - Runge–Kutta integration method, 120, 241, 242, 331
- S**
- Salerno model, 508

- Saturable nonlinearity in NLS, *see* Nonlinear Schrödinger (NLS) equation, saturable nonlinearity
 - Scaling invariance for NLS, 304
 - Schrödinger (linear) equation, *see* Linear Schrödinger (LS) equation
 - Schrödinger (nonlinear) equation, *see* Nonlinear Schrödinger (NLS) equation
 - Schrödinger operator, 137, 141, 206
 - Secular term(s), 72, 228, 274
 - Self-adjoint operator, 137, 141, 159, 167, 202, 206, 294, 495
 - Self-similar solutions, 110, 111
 - Separatrix, 9, 10, 103, 194, 258
 - Shock wave, 30, 54, 56, 57, 61, 91, 93, 97, 100, 104
 - Sine–Gordon, *see* Klein–Gordon (KG) equation, sine–Gordon
 - Sinh–Gordon equation, 212
 - Site-centered discrete solution, 472
 - Site-centered kink, 245
 - Skew-adjoint operator, 143
 - Snaking instability, 430, 437, 441
 - Soliton
 - bright, *see* Bright soliton
 - dark, *see* Dark soliton
 - Sound speed, 12, 85, 195, 264, 269–271, 432, 433, 440
 - Spectral
 - band, *see* Band (spectral)
 - gap, *see* Gap (spectral)
 - Spectrum
 - Continuous, *see* Continuous spectrum
 - Discrete, *see* Point spectrum
 - Speed of sound, *see* Sound speed
 - Stimulated Raman scattering, 105, 278
 - Strain variables, 69, 513, 518
 - Sturm comparison theorem, 495
- T**
- Telegraph equation, 25
 - Third-order dispersion, 252
 - Thomas–Fermi (TF) approximation, 369, 386, 408, 443
 - Thomas–Fermi (TF) radius, 370, 461
 - Toda lattice, 512
 - Topological charge (for vortex), 438, 454, 504
 - Transport equation, 18, 19, 29, 54, 55, 136, 143, 228, 521
 - Twisted mode, 496
- U**
- Ultra-discrete discretizations, 490
- V**
- Vakhitov–Kolokolov criterion, 501, 502
 - Vortex for the NLS, 177, 452
- W**
- Water waves, 48
 - Wave breaking, 56
 - Wave equation, 18, 19, 38, 46, 71, 272, 273, 289, 445
 - unidirectional, *see* Transport equation
 - Wavenumber, 17, 29
 - Wavepacket, 22, 23, 249
 - Wavevector, 33, 175, 186
 - Weak solution, 58, 60, 61
 - Weakly nonlinear regime, 226
 - Weyl’s theorem, 295, 408, 494
- Z**
- Zabusky–Kruskal experiment, 14, 47, 255
 - Zakharov–Shabat (ZS) system, 339